

Holm/KFH

From the INTERNATIONAL PRELIMINARY EXAMINARGE COLORS TO THE 29 APR 2005

WINCKELS, J. H. F. VEREENIGDE NOTIFICATION OF TRANSMITTAL OF Nieuwe Parklaan 97 THE INTERNATIONAL PRELIMINARY NL-2587 BN The Haque **EXAMINATION REPORT** 20-04-05 (PCT Rule 71.1) Date of mailing 15.02.2005 (day/month/year) Applicant's or agent's file reference IMPORTANT NOTIFICATION P61876PC00 Priority date (day/month/year) International filing date (day/month/year) International coolication No.----30.10.2002 PCT/NL 03/00744 30.10.2003 Applicant 4D OFFICE et al.

- The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
- 2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

#### 4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

The applicant's attention is drawn to Article 33(5), which provides that the criteria of novelty, inventive step and industrial applicability described in Article 33(2) to (4) merely serve the purposes of international preliminary examination and that "any Contracting State may apply additional or different criteria for the purposes of deciding whether, in that State, the claimed inventions is patentable or not" (see also Article 27(5)). Such additional criteria may relate, for example, to exemptions from patentability, requirements for enabling disclosure, clarity and support for the claims.

Name and mailing address of the international preliminary examining authority:



European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465 Authorized Officer

Henke-Houet, H

Tel. +49 89 2399-7204



# Rec'd PCT/PT® 29 APR 2005 PATENT COOPERATION TREETY PCT

,	REC'D	1	6	FEB	2005
	WIPO				PCT

#### INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

	_	nt's file reference	FOR FURTHER AC	TION		n of Transmittal of				
P61876PC00					Preliminary Exa	amination Report (		A/416)		
International application No. International filing date PCT/NL 03/00744 30.10.2003			day/mon	th/year)	Priority date <i>(da</i> 30.10.2002	y/month/year)				
		nt Classification (IPC) or	both national classification a	nd IPC		<u> </u>		<del></del> ,		
E02D5	<i>l</i> 56				•		·	•		
Applicant		t al		•						
4D OFI		. aı.				94.2.4	•			
1. Th	nis interr uthority	national preliminary exand is transmitted to the	amination report has beer e applicant according to A	n prepai Article 3	red by this inte	mational Prelim	inary Examini	ng		
2. Th	nis REP	ORT consists of a total	of 5 sheets, including th	is cove	sheet.		•			
×	bee	n amended and are the	anied by ANNEXES, i.e. s basis for this report and/ on 607 of the Administrati	6r shee	ts containing re	ectifications mad	r drawings wh de before this	nich have Authority		
Th	nese an	nexes consist of a total	of 5 sheets.		•	•				
•							•			
3. Th	his repo	rt contains indications	relating to the following ite	ems:	• :					
i	$\boxtimes$	Basis of the opinion					. :	, •		
11		Priority			÷			•		
III   Non-establishment of opinion with regard to novelty, inventive step and industrial applicability				•						
IV 🔲 Lack of unity of invention										
٧	⊠	Reasoned statement citations and explana	under Rule 66.2(a)(ii) wit	th regar itement	d to novelty, in	ventive step or i	ndustrial appl	icability;		
V	ı 🗆	Certain documents c	ited							
V	II 🗆	Certain defects in the	e international application							
, . <b>V</b>	III 🗀	Certain observations	on the international appli	cation		. • •		•		
Date of submission of the demand Date of completion of this report										
28.05.2004			15.02.2005							
Name and mailing address of the international			Authorized Officer							
	preliminary examining authority:  European Patent Office									
D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d			Scharl, W							
	Fax: +49 89 2399 - 4465			Teleph	one No. +49 89 2	2399-2489	\ <b>\</b>	The come of the		
				•						

### INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/NL 03/00744

1.	Basi	is of	f the	rep	ort
----	------	-------	-------	-----	-----

1. With regard to the **elements** of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)):

	Des	cription, Pages			•	•				
	1, 2,	4-9	as originally	filed						
	3, 3	а	received on	28.05.2004 with le	tter of 28.05.20	04				
									: .	
	Clai	ms, Numbers			•	3				
	1-17	•	filed with tel	efax on 31.01.2005	5				•	
	Dra	wings, Sheets				: .				
	1/11	-11/11	as originally	filed					3	
2.	With lang	n regard to the <b>langua</b> Juage in which the inte	nge, all the elements ernational applicatio	s marked above we n was filed, unless	ere available or otherwise indic	furnished ated und	l to this er this i	Authoritem.	ity in th	1e
	The	se elements were ava	ilable or furnished t	o this Authority in t	he following lar	guage:	, whic	:h is:	<u>:</u>	
		the language of a tra	nslation furnished fo	or the purposes of t	he internationa	l search (	under F	Rule 23	.1(b)).	
		the language of publi	cation of the interna	tional application (	under Rule 48.	3(b)).		٠.	4	
		the language of a tra Rule 55.2 and/or 55.3	nslation furnished fo 3).	or the purposes of i	nternational pre	eliminary	examina	ation (u	ınder	
3.	With inte	n regard to any <b>nucle</b> ornational preliminary e	otide and/or amino examination was car	acid sequence di rried out on the bas	sclosed in the i	nternation	nal appl g:	ication,	, the	
		contained in the inter	national application	in written form.		;	,	.:	;	
		filed together with the	e international applic	cation in computer	readable form.	-				
		furnished subsequen	tly to this Authority	in written form.					•	
		furnished subsequen	tly to this Authority	in computer readat	ole form.		•			•
		The statement that the in the international ap	ne subsequently fun oplication as filed ha	nished written sequ as been furnished.	ence listing do	es not go	beyond	I the dis	sclosur	е
		The statement that the listing has been furni		ded in computer re	adable form is	identical	to the w	ritten s	equen	Э
4.	The	amendments have re	esulted in the cance	llation of:					•	
		the description,	pages:			: .				
		the claims,	Nos.:		1					
		the drawings,	sheets:			;				

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/NL 03/00744

5. 🗆	This report has been established as if (some of) the amendments had not been made, since they have
	been considered to go beyond the disclosure as filed (Rule 70.2(c)).

(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)

6. Additional observations, if necessary:

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N) Yes: Claims 1-17
No: Claims

Inventive step (IS) Yes: Claims 1-17

No: Claims

Industrial applicability (IA) Yes: Claims 1-17

No: Claims

2. Citations and explanations

see separate sheet

International application No. PCT/NL 03/00744

1. The closest prior art is described on page 1, lines 4 to 22 of the present application and concerns light modular constructions, like pond constructions or other garden constructions. Such light constructions are usually made by one or a few persons using relatively light material and simple tools.

The object of the present invention is to solve the problems arising from the prior art systems and to provide a light modular construction wherein the height of the girder and the orientation of its longitudinal axis can easily be adjusted during construction.

According to claim 1, this is accomplished in that the light modular construction comprises

- at least two tubes having a first hollow end projecting into the subsoil, screw thread-shaped flanges being provided on the tubes for supporting the tubes in the subsoil and enabling a height adjustment of the tubes by axially pivoting them;
- at least two coupling pieces which are, at least during construction, axially freely pivotably supported on a second end of the tubes; and
- a girder attached to the coupling pieces.

Such a light modular construction is, in respect of the available prior art, novel in concept, and, moreover, there is no teaching in the available prior art which could have led the skilled person to the construction claimed in claim 1.

Document US-A-4 405 262 concerns a method for erecting a temporary bridge by using a mobile crane or the like. This bridge construction is not a <u>light</u> modular construction in the sense of the present invention which can be erected by a single person. Moreover, the height of the pile cannot be adjusted by simply rotating it.

The subject-matter of claim 1 is therefore both novel and involves an inventive step. The claimed construction is also industrially applicable. Therefore, claim 1 meets the requirements of Article 33(2), (3) and (4) PCT.

## INTERNATIONAL PRELIMINARY

International application No. PCT/NL 03/00744

- **EXAMINATION REPORT SEPARATE SHEET**
- This is also the case with independent claims 6 and 15 which concern a modular 2: construction system for use in constructions according to claim 1, on the one hand, and a method for building up a light modular construction, on the other hand.
- 3. Dependent claims 2 to 5, 7 to 14, 16 and 17 describe further embodiments of the subject-matter of claims 1, 6 and 15, respectively. Therefore, said claims meet also the requirements of Article 33 PCT.

10

15

20

25

30



By providing the tubes with screw thread-shaped flanges, by which the tubes are supported in the subsoil, in an absolute sense, the tubes are well settable relative to one another, namely by pivoting the tubes.

Because, during construction, the coupling pieces are axially freely pivotably supported on second ends of the tubes, the constructor can easily set the axial orientation of the coupling piece without affecting the height of the tubes. Since the axial orientation of the coupling piece is independent of the axial position of the tube, the height of the tube is also settable without changing the axial position of the coupling piece. This makes it relatively easy, also during construction, when the girder is already supported on the tubes, to adjust the vertical position of the girder.

Owing to the above-described tubes with a partly hollow design and axially freely pivotable coupling pieces supporting the girder, the modular construction offers so much flexibility that the relatively light system can even be built up by one person. Here, it is not necessary to set everything definitively at once. As described, the system provides the very possibility to change height settings during its construction.

In an embodiment according to the invention which can particularly be used in a pond construction, a foil is clamped between the girder and a clamping section clamping around the girder. In this manner, the foil that covers a basin of the pond is secured to the girder.

In another embodiment according to the invention, the modular construction is a pier construction in a pond.

In another embodiment according to the invention, the modular construction is a pergola construction.

The invention also relates to a modular construction system for use in above-described constructions.

In a preferred embodiment according to the invention, the tubes, the coupling pieces and the girder are substantially from steel and/or plastic.

This yields a construction which is both light and durable.



20

#### **CLAIMS**

- 1. A modular construction, in particular a pond construction or other garden construction, wherein the construction is supported in the subsoil, comprising
- at least two tubes, of which first, substantially hollow ends project into the subsoil, and wherein screw thread-shaped flanges are provided on the tubes, which support the tubes in the subsoil,
  - at least two coupling pieces which are, at least during construction, each axially freely pivotably supported on a second end of the respective tubes, and
- 10 a girder attached the coupling pieces.
  - 2. A modular construction according to claim 1, characterized by a foil and a clamping section, by means of which the foil is clamped on the girder.
  - 3. A modular construction according to claim 1 or 2, characterized in that the construction is a pier construction.
- 4. A modular construction according to claim 1, characterized in that the construction is a pergola construction.
  - 5. A modular construction system for use in constructions according to claim 1, comprising
  - at least two tubes, each having a first, substantially hollow end, wherein screw thread-shaped flanges are provided on the tubes,
    - at least two coupling pieces which fit on second ends of the tubes, for being axially freely pivotably supported on the second ends during construction, and
    - a girder for attaching to the coupling pieces.
- 6. A modular construction system according to claim 5, characterized in that the tubes, the coupling pieces and the girder are substantially from steel and/or plastic.

20

25

in the subsoil,

- 7. A modular construction system according to claim 5 or 6, characterized in that, near the heads, the tubes are provided with an engaging element for cooperation with a driving element for exerting a turning moment on the tubes.
- 8. A modular construction system according to any one of claims 5-7, characterized in that cutting sections have been formed on the substantially hollow ends of the tubes.
  - 9. A modular construction system according to any one of claims 5-8, characterized in that the construction system is provided with a clamping section for clamping a foil between the girder and the clamping section.
  - 10. A modular construction system according to claim 9, characterized in that the girder or the clamping section is provided with a flange for supporting a pond edge.
- 11. A modular construction system according to claim 10, characterized in that the flange is bent obliquely upwards with respect to the ground level, so that it allows the ground level to continue to above the water level of a pond.
  - 12. A modular construction system according to any one of claims 5-11, characterized in that the tubes are provided with attachment means for attaching sheet elements and/or retaining walls.
  - 13. A modular construction system according to any one of claims 5-12, characterized in that the girder is designed as a plate or tube.
  - 14. A method for building up a modular construction, in particular pond constructions or other garden constructions, comprising the steps of rotating at least two tubes into the subsoil, which are each provided with a substantially hollow end on the side rotated into the subsoil, and wherein screw thread-shaped flanges have been provided on the tubes for supporting
    - setting the height of the tubes by axially pivoting them,

- sliding coupling pieces on second ends provided on each of the tubes, wherein, during construction, the coupling pieces are axially freely pivotably supported on the second ends,
- setting the axial orientation of the coupling pieces by pivoting them relative to the respective tubes, and
- attaching a girder to the coupling pieces.
- 15. A method for building up a modular construction according to claim 14, characterized in that the method further comprises the step of locking the coupling pieces in an axial direction with respect to the tubes after setting the height of the tubes and setting the axial orientation of the coupling pieces.
- 16. A method for building a pond construction according to the method of claim 14 or 15, characterized in that, after the said steps, further, the steps are carried out of
- digging a pond basin,

10

- laying a foil in the pond basin, en
- attaching the foil to the girder.